

T-RAILER

SELF-PROPELLED HIGH RAIL WORK PLATFORM



www.DYMAXRAIL.com • 1-800-530-5407

MADE BY  **DYMAX
RAIL**

FROM ROAD TO RAIL, THE

100K / 120K - PLATFORM

Innovation is no less a part of railroad progress today than it was in the early days. But with progress comes new challenges. Right-of-way maintenance, track maintenance and new track construction create unique challenges, especially with hard-to-access sites.

The Dymax T-Railer 100K / 120K models offer customers more hauling capacity and superb power. These are the only hi-rail self-propelled work platforms where you can get on track at single rail crossings. This is made possible by the turntable design which lets you get on track in remote locations.

With the ability to carry up to 120,000 lbs. the **Dymax T-Railer 100K / 120K** models are the economical, efficient way to move equipment and materials to work sites. On site, you can pour cement, spread ballast, perform general right of way maintenance tasks such as tamping, undercutting, tie exchanging, brushcutting, tree shearing or operate equipment directly from this mobile work platform.

Dymax has a long history of customizing equipment specifically to your requirements. So if you have a special job and need a special feature on your T-Railer, let us know. We'll custom build one for you.

So whether you're a Class I or Class II railroad, regional, short line, mass transit/light rail or a right of way maintenance contractor or drilling company, **Dymax T-Railer 100K / 120K** saves you time and money. With the **Dymax T-Railer** you can use all of your standard machines without converting them to high cost high rail system undercarriages.

POWERFUL


T-Railer 100K and 120K sports a six-cylinder diesel engine with enough horsepower to move a 100,000lb or 120,000lb load at 15 miles per hour in forward or reverse. Even on a 3-4% grade, the T-Railer can haul that same load at 10 miles per hour

Dymax Operator
Chair, Engine, and
Multi-Function
Control Valve Stack



T-RAILER

WORKS WITH 3RD RAIL SYSTEMS



COMFORT

Comfortable chair with ability to rotate in different positions for visibility down the track, in both directions. Air conditioned and heated cab enclosures, camera systems spoil operators.

ULTIMATE POWER WORK PLATFORM

MOBILITY

Oscillating axles paired with eight Dymax 16" rail wheels navigate tight city turns and follow track contours better.



CONTROLS

Multi-functional control valve stack located directly in front of the operator. Additional valves can easily be adapted for operating hand tools, crane arms or winches.



ROAD TO RAIL

Dymax T-Railer 100K / 120K saves you time and money. You can set it on the tracks or put it back on the highway in minutes.




Main Platform available in 100K and 120K pound load capacity

Optional Ballast spreading hopper system with spreader bar

Optional cab enclosure (not shown)

Drive System: Heavy-duty two motor direct drive system with internal breaking



SPECIFICATIONS

SPECIFICATIONS		Platform-Width	Platform Width with Swing Outs (in)	Platform Height off Rails (in)	Total Weight (lbs)	Load Capacity (lbs)	Overall Length (ft)
T-Railer	100K Model	102.00	126.00	32.00	34,500	100,000	44.00
	120K Model	102.00	126.00	32.00	36,500	100,000	44.00

Contact DYMAX Sales at 1-800-530-5407 or sales@DYMAXinc.com

T-RAILER 65K

THE LITTLE BROTHER

Equipped with a 110HP the T-Railer 65K moves up to 65,000lbs on rail. A strong and reliable platform the T-Railer 65K features new direct drive systems, brakes, hydraulic platform access ramps and optional wood decking in lieu of traditional steel diamond plate decking. T-Railer 65K features oscillating axles, outriggers and 16" rail wheels. If you need to move loads up to 65,000lbs then let the T-Railer 65K move you!



SPECIFICATIONS

SPECIFICATIONS		Platform Width with Swing Outs (in)	Platform Height off Rails (in)	Total Weight (lbs)	Load Capacity (lbs)	Overall Length (ft)
T-Railer	65K Model	102.00	23.00	28,000	65,000	44.00

OPTIONS

MAKE YOUR T-RAILER A MOBILE WORK PLATFORM WITH UNLIMITED OPTIONS

ENCLOSED CAB



LCD CAMERA SYSTEM



BALLAST SPREADING HOPPER



MORE OPTIONS

CRANE ATTACHMENTS

HYDRAULIC TURNTABLE

OFF-TRACKING SYSTEM

SAFETY / WORK LIGHTS

