

ULTIMATE POWER WORK PLATFORM

MOBILITY

Oscillating axles paired with eight Dymax 16" rail wheels navigate tight city turns and follow track contours better.




CONTROLS

Multi-functional control valve stack located directly in front of the operator. Additional valves can easily be adapted for operating hand tools, crane arms or winches.



ROAD TO RAIL

Dymax T-Railer 100K / 120K saves you time and money. You can set it on the tracks or put it back on the highway in minutes.



SPECIFICATIONS

SPECIFICATIONS		Platform-Width	Platform Width with Swing Outs (in)	Platform Height off Rails (in)	Total Weight (lbs)	Load Capacity (lbs)	Overall Length (ft)
T-Railer	100K Model	102.00	126.00	32.00	34,500	100,000	44.00
	120K Model	102.00	126.00	32.00	36,500	120,000	44.00

Contact DYMAX Sales at 1-800-530-5407 or sales@DYMAXinc.com

T-RAILER 65K

THE LITTLE BROTHER

Equipped with a 110HP the T-Railer 65K moves up to 65,000lbs on rail. A strong and reliable platform the T-Railer 65K features new direct drive systems, brakes, hydraulic platform access ramps and optional wood decking in lieu of traditional steel diamond plate decking. T-Railer 65K features oscillating axles, outriggers and 16" rail wheels. If you need to move loads up to 65,000lbs then let the T-Railer 65K move you!



SPECIFICATIONS		Platform Width with Swing Outs (in)	Platform Height off Rails (in)	Total Weight (lbs)	Load Capacity (lbs)	Overall Length (ft)
T-Railer	65K Model	102.00	23.00	28,000	65,000	44.00

OPTIONS

MAKE YOUR T-RAILER A MOBILE WORK PLATFORM WITH UNLIMITED OPTIONS

ENCLOSED CAB



LCD CAMERA SYSTEM



BALLAST SPREADING HOPPER



MORE OPTIONS

- CRANE ATTACHMENTS**
- HYDRAULIC TURNTABLE**
- OFF-TRACKING SYSTEM**
- SAFETY / WORK LIGHTS**

